


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED	28SEP2014	CZ	SZ







1. "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
2. MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC,BLACK, UL94 V-0
   SIGNAL CONTACT - COPPER ALLOY
   POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY)
3. CONTACT PLATING: SIGNAL CONTACTS - .000050 MIN Ni UNDER ALL.
   .000030 MIN. Au ON CONTACT AREA.
   .000100 MIN Sn AT PCB INTERFACE.)
   POWER CONTACTS - .000050 MIN Ni UNDER ALL.
   .000030 MIN Au AT CONTACT AREA.
   .000100 MIN Sn AT PCB INTERFACE.
4. MECHANICAL CONNECTOR KEEP OUT ZONE.
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
6. PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
7. PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.

2ACP+8S+4ACP+16S+2ACP+12S+2ACP	6450849-6
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2

MATERIAL -
FINISH -

DWN C ZHOU 28DEC2009
CHK S ZHAO 28DEC2009
APVD - NAME -
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

RIGHT ANGLE HEADER ASSEMBLY WITH GUIDELESS MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450849-6	-


CUSTOMER DRAWING | SCALE 1:4 | SHEET 1 OF 2 | REV A1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		SIGNAL		POWER				SIGNAL				POWER		SIGNAL			POWER		
			P1	P2	1	2	P3	P4	P5	P6	3	4	5	6	P7	P8	7	8	9	P9	P10	
6450849-6	D C B A		TT	TT	Z5 Z5 Y5 Y5 R5 R5 O5 O5		TT	TT	TT	TT	Z5 Z5 Z5 Z5 Y5 Y5 Y5 Y5 R5 R5 R5 R5 O5 O5 O5 O5				TT	TT	Z5 Z5 Z5 Y5 Y5 Y5 R5 R5 R5 O5 O5 O5			TT	TT	
2ACP+8S+4ACP+16S+2ACP+12S+2ACP																						



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2

MATERIAL - -

FINISH - -

DWN C.ZHOU 28DEC2009
CHK S.ZHAO 28DEC2009
APVD - -
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE HEADER ASSEMBLY WITH SHORT END MODEL MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450849-6	-

CUSTOMER DRAWING | SCALE 1:4 | SHEET 2 OF 2 | REV A1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

6450849-6